



SEQUENCE LISTING

<10> INSTITUT DE RECHERCHES CLINIQUES DE MONTREAL
DROUIN, Jacques
PHILIPS, Alexandre
MAIRA, Mario

<120> NUR-RE A RESPONSE ELEMENT WHICH BINDS NUR NUCLEAR
RECEPTORS AND METHOD OF USE THEREFOR

<130> 480848.90018

<140> 09/319,782

<141> 1997-12-12

<150> CA97/00962

<151> 1997-12-12

<150> 2,192,754

<151> 1996-12-12

<160> 28

<170> PatentIn Ver. 2.1

<210> 1

<211> 8

<212> DNA

<213> Murinae gen. sp.

<400> 1

aaaggtca

<210> 2

<211> 24

<212> DNA

<213> Murinae gen. sp.

<400> 2

gtgatattta cctccaaatg ccag

<210> 3

<211> 6

<212> DNA

<213> Murinae gen. sp.



RECEIVED

SEP 11 2001

TECH CENTER 1600/2900

8

24

<400> 3
aggtca

6

<210> 4
<211> 28
<212> DNA
<213> Murinae gen. sp.

<400> 4
gacccctcgtg cgaaaagggtc aagcgcta

28

<210> 5
<211> 33
<212> DNA
<213> Murinae gen. sp.

<400> 5
gacccctagtg atatttacct ccaaagcca gga

33

<210> 6
<211> 22
<212> DNA
<213> Murinae gen. sp.

<400> 6
tgaccccttat tctcaaagggt ca

22

<210> 7
<211> 8
<212> DNA
<213> Murinae gen. sp.

<400> 7
aaatatca

8

<210> 8
<211> 8
<212> DNA
<213> Murinae gen. sp.

<400> 8
aaatgcca

8

<210> 9
<211> 24
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (10)..(15)
<223> N = X; X is independently selected from A, T, C or
G

<400> 9
gtgatatttn nnnnnaaatg ccag

24

<210> 10
<211> 22
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (9)..(14)
<223> N = X; X is independently selected from A, T, C or
G

<400> 10
tgatatttnn nnnnaaatgc ca

22

<210> 11
<211> 24
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (10)..(15)
<223> N = X; X is independently selected from A, T, C or
G

<400> 11
gtgatatttn nnnnnaaata tcac

24

<210> 12
<211> 22

<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (9)..(14)
<223> N = X; X is independently selected from A, T, C or
G

<400> 12
tgatatttnn nnnnaaatat ca

22

<210> 13
<211> 24
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (10)..(15)
<223> N = X; X is independently selected from A, T, C or
G

<400> 13
ctggcatttn nnnnnaaatg ccag

24

<210> 14
<211> 22
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (9)..(14)
<223> N = X; X is independently selected from A, T, C or
G

<400> 14
tggcatttnn nnnnaaatgc ca

22

<210> 15
<211> 24
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (1)
<223> N = Q; Q is C or G

<220>
<221> variation
<222> (10)..(15)
<223> N = X; X is independently selected from A, T, C or
G

<220>
<221> variation
<222> (24)
<223> N = Q; Q is C or G

<400> 15
ntgacctttn nnnnnaaagg tcan

24

<210> 16
<211> 22
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (9)..(14)
<223> N = X; X is independently selected from A, T, C or
G

<400> 16
tgacctttnn nnnnaaaggt ca

22

<210> 17
<211> 24
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (1)
<223> N = Q; Q is C or G

<220>
<221> variation
<222> (4)

<223> N = A or G

<220>

<221> variation

<222> (10)..(15)

<223> N = X; X is independently selected from A, T, C or
G

<220>

<221> variation

<222> (20)

<223> N = A or G

<220>

<221> variation

<222> (24)

<223> N = Q; Q is C or G

<400> 17

ntgnyatttn nnnnnaaatn ycan

24

<210> 18

<211> 22

<212> DNA

<213> Murinae gen. sp.

<220>

<221> variation

<222> (3)

<223> N = A or G

<220>

<221> variation

<222> (9)..(14)

<223> N = X; X is independently selected from A, T, C or
G

<220>

<221> variation

<222> (19)

<223> N = A or G

<400> 18

tgnyatttnn nnnnaaatny ca

22

<210> 19

<211> 24
<212> DNA
<213> Murinae gen. sp.

<400> 19
gtgatattta cctccaaatg ccag

24

<210> 20
<211> 22
<212> DNA
<213> Murinae gen. sp.

<400> 20
tgatatttac ctccaaatgc ca

22

<210> 21
<211> 24
<212> DNA
<213> Murinae gen. sp.

<400> 21
gtgatattta cctccaaata tcac

24

<210> 22
<211> 22
<212> DNA
<213> Murinae gen. sp.

<400> 22
tgatatttac ctccaaatat ca

22

<210> 23
<211> 24
<212> DNA
<213> Murinae gen. sp.

<400> 23
ctggcattta cctccaaatg ccag

24

<210> 24
<211> 22
<212> DNA
<213> Murinae gen. sp.

<400> 24
tggcatttac ctccaaatgc ca

22

<210> 25
<211> 24
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (1)
<223> N = Q; Q is C or G

<220>
<221> variation
<222> (24)
<223> N = Q; Q is C or G

<400> 25
ntgaccttta cctccaaagg tcan

24

<210> 26
<211> 22
<212> DNA
<213> Murinae gen. sp.

<400> 26
tgacctttac ctccaaaggt ca

22

<210> 27
<211> 24
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (1)
<223> N = Q; Q is C or G

<220>
<221> variation
<222> (4)
<223> N = A or G

<220>
<221> variation
<222> (20)
<223> N = A or G

<220>
<221> variation
<222> (24)
<223> N = Q; Q is C or G

<400> 27
ntgnyatttta cctccaaatn ycan

24

<210> 28
<211> 22
<212> DNA
<213> Murinae gen. sp.

<220>
<221> variation
<222> (3)
<223> N = A or G

<220>
<221> variation
<222> (19)
<223> N = A or G

<400> 28
tgnyattttac ctccaaatny ca

22